Product datasheet

Specifications

Safety switch, general duty, non fusible, 200A, 3 pole, 60hp, 240VAC, NEMA 1

DU324

Main

Product	Single Throw Safety Switch
Duty Rating	General duty
Device Application	Residential
Disconnect Type	Non-fusible disconnect switch
Factory Installed Neutral	None
Phase	3 phases
Number Of Poles	3
Current Rating	200 A
Voltage Rating	240 V AC
Enclosure Rating Nema	NEMA 1
Motor Power Hp	15 hp at 240 V AC 60 Hz for 1 phase motors 60 hp at 240 V AC 60 Hz for 3 phases motors

Complementary

Mounting Type	Surface
Electrical Connection	Lugs
Wiring Configuration	3-wire
Wire Size	AWG 6...250 kcmil aluminium/copper
Tightening Torque	31.07 N.m (AWG 6...250 kcmil)
Depth	209.55 mm
Width	482.60 mm
Height	736.60 mm
Net Weight	23.59 kg

Environment

Certifications	UL listed file E2875

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	21.59 cm
Package 1 Width	49.276 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Length	77.978 cm
Package 1 Weight	18.098 kg
Unit Type Of Package 2	PAL
Number Of Units In Package 2	15
Package 2 Height	118.11 cm
Package 2 Width	101.6 cm
Package 2 Length	127.0 cm
Package 2 Weight	285.763 kg

Contractual warranty

Warranty	18 months

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc	
Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Pvc Free	

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations