Product datasheet

Specifications

Quick Tool for Keystone Jack Termination

DXYTOOLQT

⊘ **Discontinued on:** Jun 8, 2022 AD

⊘ **Discontinued**

Main

Range	Digilink
Product Or Component Type	Quick tool

Complementary

Material	ABS (acrylonitrile butadiene-styrene) Hardened steel
Product Destination	For keystone jack termination
Product Compatibility	For 22...26 AWG wire
Kit Composition	Mini cutting pliers for trimming conductors

Environment

Standards	EIA/TIA-568-B EIA/TIA-568-A

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4 cm
Package 1 Width	10.5 cm
Package 1 Length	23 cm
Package 1 Weight	450 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	20
Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	9.487 kg
Unit Type Of Package 3	P12
Number Of Units In Package 3	320
Package 3 Height	80 cm
Package 3 Width	80 cm
Package 3 Length	120 cm

Package 3 Weight	163.792 kg

Contractual warranty

Warranty	18 months

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium 〉

Guide to assess a product's sustainability 〉

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Circularity Profile	No need of specific recycling operations