Product datasheet

Specifications



① Discontinued

Main

Unica Top/Class - 1 RJ45 socket (S-One) - 1 m - Cat.5e, S/FTP - graph.

MGU3.412.12

() Discontinued on: Jan 2, 2024 AD

Range	Unica
Aesthetic Name	Unica Top - Unica Class
Product Or Component Type	Data socket
Device Presentation	Mechanism
Colour Tint	Graphite
Data Socket Type	RJ45 8 contact(s) Cat.5e < 155 MHz
Provided Equipment	Protective flap Label holder

Complementary

e emprementar y	
Communication Network Type	1000BASE-T
Communication Port Protocol	ATM 155 Mbps
Number Of Modules	1 module
Socket Number	1
Type Of Footprint	Infraplus
Connector Type	S-One
Cable Shielding Type	S/FTP
Organization Of Wire	Shielded twisted pair
Connections - Terminals	Click
Fixing Mode	Clip-in
Installation Direction	Straight
Material	ABS (acrylonitrile butadiene-styrene): mechanism cover
Depth	36 mm
Width	22.5 mm
Height	45 mm
Embedding Depth	25 mm

Environment

Ip Degree Of Protection	IP40
Ik Degree Of Protection	IK01
Ambient Air Temperature For Operation	1530 °C

Ambient Air Temperature For Storage	035 °C
Environmental Characteristic	Liquid soap
	Oil
	Bleach
	Petrol
	UV resistant
	Window-cleaning fluid
	Alcohol
	Acetone
Standards	ISO 8877

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.0 cm
Package 1 Width	10.0 cm
Package 1 Length	7.5 cm
Package 1 Weight	37.0 g

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration