


Product datasheet

Specifications



Unica Top/Class - R-TV/SAT socket - intermediate socket - alu.

MGU3.456.30

 **Discontinued on:** Jun 15, 2023 AD

 **Discontinued**

Main

Range	Unica
Aesthetic Name	Unica Top - Unica Class
Product Or Component Type	R-TV/SAT socket
Device Presentation	Mechanism
Tv Socket Type	Intermediate
Colour Tint	Aluminium
Condition Of Use	Series distribution systems

Complementary

Tv Connector	Male IEC 9.52 mm
Sat Connector	Female IEC 9.52 mm
Maximum Branch Attenuation	TV <1 dB SAT <1.5 dB
Path Attenuation	12 dB SAT signal950...2400 MHz 13 dB R signal10...108 MHz 13 dB TV/UHF signal470...830 MHz 13 dB TV/VHF signal118...470 MHz
Dc Current Flow	In SAT socket
Number Per Line	4
Number Of Modules	2 modules
Material	ASA + PC: mechanism cover
Fixing Mode	Clip-in
Depth	28 mm
Width	45 mm
Height	45 mm
Embedding Depth	18 mm
Net Weight	0.073 kg

Environment

Ip Degree Of Protection	IP20
Ik Degree Of Protection	IK01
Ambient Air Temperature For Operation	15...35 °C

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Ambient Air Temperature For Storage	0...35 °C
Environmental Characteristic	Window-cleaning fluid Acetone Oil Alcohol Petrol Bleach UV resistant Liquid soap
Standards	EN 50083-1 EMC directive DIN 45325 R.D. 279/1999 DIN 45330 R.D. 1/1998 UNE 20-523-79 (2e) EN 50083-4 EN 50083-2

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.5 cm
Package 1 Width	6.5 cm
Package 1 Length	6.5 cm
Package 1 Weight	74.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	4.5 cm
Package 2 Width	13.5 cm
Package 2 Length	33.0 cm
Package 2 Weight	814.0 g
Unit Type Of Package 3	S01
Number Of Units In Package 3	20
Package 3 Height	15.0 cm
Package 3 Width	15.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	1.828 kg

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability





Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
	Mercury Free	
	Rohs Exemption Information	Yes
Reach Regulation		REACH Declaration
Eu Rohs Directive		Compliant EU RoHS Declaration
China Rohs Regulation		China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Weee		The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins