Product datasheet

Specifications

Green Premium™

Spacial SF mounting plate fixing brackets

NSYSFPB

Main

Category	Mounting accessory
Product Or Component Type	Fixing bracket
Range Compatibility	Spacial Spacial SF
Application	Multi-purpose
Nominal Dimensions Of The Housing	-
Mounting Location	On structure of enclosure
Product Destination	For mounting plate
Device Composition	4 mounting plate fixing brackets fixing elements
Quantity Per Set	Set of 1
Material	Steel

Complementary

Surface Finish	Zinc coated
Fixing Mode	By fixing element
Adjustment	Adjustable in depth every 25 mm
Permanent Permissible Load	600 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	9.0 cm
Package 1 Width	11.0 cm
Package 1 Length	13.2 cm
Package 1 Weight	370.0 g
Unit Type Of Package 2	PAM
Number Of Units In Package 2	300
Package 2 Height	96.0 cm
Package 2 Width	100.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	285.0 kg

Contractual warranty

Warranty   18 months

Sustainability

Green Premium^{TM} **label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency   RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations